

new 3-axis acceleration switch

Genisco's new GBM Series 3-axis multiple level inertia switch provides the aerospace industry with proved, new degrees of reliability and versatility. Originally designed for shock detection in a missile transport monitoring system, the GBM detects the level of shock from any direction. Separate circuits set to operate at different G inputs and on vertical, longitudinal, and transverse planes give eighteen different switching levels. The GBM is gas-damped and hermetically sealed. It has a true accelerometer response and is accurate within 5% full scale.

single-level, double-level, triple-level switches, too

Typical of Genisco's broad line of acceleration switches is Model GBS shown here. The small, multiple-level switches, possess the high-reliability characteristics of the GBM Series above. For precise switches with true accelerometer characteristics, write Genisco ED-2009-1.

Genisco INCORPORATED

18435 Susana Road. • Compton, California

CIRCLE 31 ON READER-SERVICE CARD

SEMIANNUAL INDEX OF ARTICLES

July 5 through December 20, 1962

The index for material published from January through June appeared in the July 19, 1962, issue.

All material is listed under one of the following subjects:

Circuits, Mathematical Analysis
Communications, Methods and Equipment
Components (See Microwaves, Semiconductors)
Computers, Data Processing, Auxiliary Devices
Consumer Electronics
Detection, Techniques and Equipment
Human Factors
Industrial Electronics
Measurements, Instruments, Test Equipment
Medical Electronics
Microwaves
Missiles and Space
Navigation and Guidance
Packaging Techniques, Production Processes and Equipment
Radio Frequency Interference
Reliability
Semiconductors, Solid-State Devices

Departments are identified by the following keys:

ART	Article	GA	German Abstract
BfD	Background for Design	IfD	Idea for Design
DD	Design Decision	PF	Product Feature
DIG	Digest	PT	Practical Theorist
DYF	Designing Your Future	RT	Russian Translation
EDN	Electronic Design News	SR	Staff Report

Circuits, Mathematical Analysis

Ac electronic switch controls ...DD p 60 Dec 6
Audio frequency amplifier responds over 10-cps bandwidth .....IfD p 62 Dec 20
Bridged-tee networks, compensating for losses in .....GA p 72 Oct 25
Carrier-operated circuit squelches high-level noise .....EDN p 34 July 19
Constant-current source simplifies system.... .....DD p 92 Sept 13
Counting errors in pulse shapers ....GA p 102 July 5
Cyrogenics .....BfD p 49 Aug 30
Data-flow diagrams: A graphical means of system representation—Part 3 ...ART July 5
Data-flow diagrams—Part 4 .ART p 62 July 19
DC-servo amplifier has singled-ended drive .. ..IfD p 53 Dec 20
Discontinuous nonlinearities, method of tackling .....ART p 66 July 19
Geiger-counter supply uses simple regulation .....IfD p 52 Dec 6
Improving integrators with negative-positive feedback .....RT p 96 Sept 13
Improving matching stages ..RT p 101 Sept 13
Improving stability with cascade amplifiers.... .....RT p 100 Aug 2
Inexpensive high-voltage supply, design of... .....DD p 84 Sept 27
Logic functions .....BfD p 95 Oct 11
Lumped capacitance effects on distributed tank circuits .....ART p 38 Aug 30
Matrix conditions for reciprocal 2n ports..... .....GA p 66 Dec 6
Models, poles and zeroes .....PT p 75 Nov 22
New circuits, concepts mark military advances .....EDN p 4 July 19
Novel notch filter is easy to tune for null... .....IfD p 56 Dec 6
Obtaining zero reference for flip-flop square-wave output .....IfD p 57 Dec 6
Phase-linear IF amplifiers, designing..... .....ART p 56 Nov 22
Pulse detection circuit monitor computer operation .....IfD p 55 Dec 20

INDEX OF ARTICLES

Regulator-doubler eliminates need for second power supply .....IfD p 58 Dec 6
SCR and delay line give high current pulses .....DIG p 136 Nov 8
Stabilization factors for voltage regulations... .....GA p 90 Nov 22
Standard parts make fast circuits for computer logic .....EDN p 42 Nov 8
Strain-gage transducer signal, technique for simulating .....IfD p 52 Dec 20
Sync source locks FM/FM telemetry data..... .....IfD p 52 Dec 6
Thin-film circuits sought for use on plastic balloons .....EDN p 29 July 19
Two terminal regulators, four design techniques for .....IfD p 56 Dec 20
Voltage sets varactor-hybrid phase shifter... .....ART p 68 Sept 27

Communications, Methods and Equipment

Aeronautical communications, problems discussed .....EDN p 4 Dec 20
Airborne communication net going to UHF, Air Force's emergency ....EDN p 30 Nov 8
AGC design for wide-range inputs..... .....ART p 102 Nov 8
Communications gear still shrinking..... .....EDN p 16 July 19
Designing by compromise ...DD p 66 Oct 25
EKG sent by phone .....EDN p 23 Aug 30
Graphically predict modulation products..... .....ART p 50 Dec 6
Infrared communication systems, designing .....ART p 60 Aug 2
Noise .....BfD p 85 Sept 13
Pulse-waveform criteria ....GA p 132 Nov 8
Single-sideband gear getting sophisticated... .....EDN p 16 Nov 8
60-satellite net proposed for military communication .....EDN p 8 Oct 11
Teletype communication net ..EDN p 30 Aug 2

Components (See also Microwaves, Semiconductors)

A 'figure of merit' for ac precision pots..... .....ART p 32 Aug 30
Crowbar device protects 60-Kv power supplies .....PF p 174 July 19
Disk ceramics use 200-C dielectric ....PF p 236 Nov 8
Electric motor's fast response time benefits actuators .....EDN p 44 Oct 11
Liquid-level sensing by micromin switch..... .....PF p 148 July 5
Low-noise centimeter and millimeter amplifiers .....GA p 134 Nov 8
Meter driven pot is simple approach to analog memory .....PF p 218 Oct 11
Precision potentiometer terms and definitions .....DIG p 90 July 19
Thin-film magnetostrictive elements have high impedance .....PF p 98 Aug 30
Transducers, addendum listing ....p 25 Aug 16
Two-transistor amplifier yields 20 w at 151 Mc .....EDN p 42 Oct 11

Computers, Data Processing, Auxiliary Devices

Analog-to-digital conversion techniques, comparison of .....ART p 82 Aug 2
Bang-bang controller, limit cycle analysis of .....ART p 82 Oct 11
Bio-cells—usable power from organic wastes .....EDN p 4 July 5
Computer can read handwritten digits..... .....EDN p 24 Aug 2
Computers, midget, designed in England..... .....EDN p 37 Nov 22
Fast computer to have TD memory—News from Japan .....EDN p 31 July 19
Feedback coding holds promise for digital links .....EDN p 4 Oct 11
Ferrite memories switch in 1 μsec; IBM has two types .....EDN p 46 Sept 13
High voltage analog/digital converters, designing .....ART p 60 Sept 13
Magnetic tape packing density, increasing ... .DIG p 92 Nov 22
Optical computer, general-purpose, held years away .....EDN p 22 Nov 8
Optical drum provides short automatic program .....DD p 54 Aug 30
Programmed belt speeds assembly of computer parts .....EDN p 14 Sept 13
Random-address Bendix system uses AM/FM .....EDN p 25 Sept 27
Seven-bit code for data transfer nears adoption .....EDN p 4 Dec 6
3-Kbit associative memory works at room temperature .....EDN p 8 July 5
Two futures of analog .....SR p 54 Oct 11

Consumer Electronics

Intercom system has central unit ....EDN p 28 Sept 27
Scrambler easily adapted to TV set ....EDN p 25 Aug 30
Toothbrush-battery charger uses silicon rectifier .....DD p 57 Aug 30

Detection Techniques

Infrared detector noise .....ART p 68 Aug 2
Radar beams varied .....EDN p 36 Oct 11

Human Factors

Getting the project off the breadboard ....ART p 36 Oct 25
Is the project on schedule? ..DYF p 128 Sept 13
Linotron: Would it fool you?—Part 1 ....DYF p 78 Dec 6
Linotron—Part 2 .....DYF p 78 Dec 20
Make paperwork work for you DYF p 126 Oct 11
Try feedback for better failure reports ....DYF p 58 July 19

Industrial Electronics

Automatic dialing system ...EDN p 46 Oct 11
Circuit designers score hit in process control .....EDN p 8 Nov 8

AUGAT

HEAT DISSIPATORS FOR SEMICONDUCTORS

Now...

an expanded line!



9016

Approx. radiating surface 83 sq. in.

9015

Approx. radiating surface 1.9 sq. in.

Augat's extensive line now includes these new heat dissipators. The 9016 Series will handle the power requirements of the largest semiconductors. The 9015 Series, designed for the TO-5 and TO-9 cases, effectively increases the surface area by a factor of six.

The Augat line includes:

Model Number	for Semiconductor	Thermal Res (Natural Conv.)
9006	TO-3	6.5°C/Watt
9008	MT-1 and Stud Mounts	5.2
9009	TO-36	5.0
9014	TO-8 and Stud Mounts	11.0
9015	TO-5 and TO-9	40.6
9016	TO-3, TO-36, MT-1 and Stud Mounts	2.1

Dissipators are also made to customer specifications. Write today for Catalog HD 462 describing the Augat line in full detail.

AUGAT INC.

31 Perry Avenue, Attleboro, Mass.

CIRCLE 32 ON READER-SERVICE CARD

SWITCH PROBLEMS?

NORTH ATLANTIC

Sealed Switch Assemblies & Modules

Designed for application where reliability and high performance specifications prohibit printed circuit switch wafers. All modules are sealed to insure long-term performance in severe environments, and can be supplied in any assembly configuration. Features include:

- Silver alloy contacts break 2 amps resistive load
- Long life—low contact resistance
- Decimal outputs per module: to 4 poles 6 positions, or 2 poles 12 positions
- Coded output 1248 (with or without complement)
- In-line readout for any number of digits
- Only 11/16" panel space per module

Sealed switches available as bezel-mounted assemblies, with or without panel seal, or as individual modules for prototype work. Your North Atlantic representative has complete data. Or write for Bulletin SM-400.

NORTH ATLANTIC industries, inc.
TERMINAL DRIVE, PLAINVIEW, L.I., NEW YORK
Telephone: OVerbrook 1-8600

CIRCLE 33 ON READER-SERVICE CARD

Educational TV gets electronic, legislative boosts .....EDN p 8 Aug 2
FAA report prods designers on new air-lane controls .....EDN p 23 Sept 13
WESCON: Summaries of top technical papers .....EDN p 36 Aug 2
WESCON field trips .....EDN p 16 Aug 16
WESCON 1962, visitors and participants get a break .....EDN p 8 Aug 30
WESCON program directory: An index by subject .....EDN p 32 Aug 2
WESCON promises to be big, yet manageable show .....EDN p 18 Aug 16

Measurements, Instrumentation, Test Equipment

Airborne stop-start digital recorder .....DD p 100 Oct 11
Digital test equipment uses delay line, magnets .....PF p 100 Aug 30
Electronic counters used to measure fm deviation .....DIG p 90 Sept 27
Evaluating input-signal distortion for amplifier tests .....ART pp 66 Nov 22
Field-intensity meters for microwave spectrum-signature collection .....ART p 108 Nov 8
General-purpose scope has wide bandwidth, high sensitivity .....PF p 184 Aug 2
LAB scope kit provides interesting mechanical and circuit designs ....DD p 78 July 19
Multimeter offers laboratory stability and ruggedness .....PF p 238 Nov 8
Noise-figure measurement ..ART p 42 Aug 30
Oscillator stability for precise microwave measurements .....GA p 135 Nov 8
Oscilloscope, nanosecond, records own trace .. ..PF p 140 Dec 6
Two transistor amplifier yields 20 w at 151 Mc .....EDN p 42 Oct 11
Very low frequency oscillators—A survey of design techniques .....DIG p 104 July 5

Medical Electronics

Biomedical requirements spur data-processing designs .....EDN p 8 Aug 16
Geiger system used in study of tumors .....EDN p 22 July 5
Heart fibrillation danger found on medical gear .....EDN p 28 Oct 11

Microwave Components, Techniques

Changing polarization in waveguides .....GA p 86 Nov 22
Converting microwave power to temperature .....ART p 86 July 5
Fabry-Perot filter narrows ruby-laser beam to the limit .....EDN p 24 Dec 6
Laser, the .....BfD p 63 Oct 25
Laser crystal used as lamp envelope .....EDN p 32 Nov 22
Many faceted laser scramble ..SR p 30 Sept 13
Maser, the .....BfD p 81 Sept 27
Match the modulator to the magnetron .....ART p 42 Dec 20
Microwave fm generators ....RT p 70 Aug 16
Microwave TV link .....EDN p 26 Dec 6
Mid-IR laser emits in visible region at the same time .....EDN p 14 Oct 11
MM-band TWT yields CW power of 150 w ... .EDN p 19 Oct 11
120-Mc amplifier block, better TWT's developed .....EDN p 4 Oct 25
Pondermotive microwave wattmeters offer high accuracy .....RT p 82 Nov 22
Predicting reduced bandwidth in resonant lines .....ART p 72 Sept 27
Reflex klystron oscillators ..DIG p 108 Sept 13
Ridged-waveguide cavities save space and weight .....RT p 58 Aug 30
Strip-line wiring used in low-noise UHF front end .....EDN p 24 Dec 6
UV and mid-IR lasers open new frequency ranges .....EDN p 30 Oct 11
Varactor multiplier chains, designing ....ART p 42 Oct 25

Missiles and Space

Canada's Alouette satellite to carry 150-ft. antenna .....EDN p 24 Oct 11
Mariner II on the way .....EDN p 16 Sept 13
Lunar radio net studied ....EDN p 36 Aug 16
Mars hold life? Space-borne scope may tell .....EDN p 52 Nov 8
MARS tracking ship network takes shape ... .EDN p 18 Aug 30
Micromin, communication strive to meet space needs .....EDN p 8 Oct 25
Monitor to track 6 types of radiation on space journeys .....EDN p 26 Aug 30
New tracking ships extend ICBM range to 10,000 miles .....EDN p 25 July 5
Prototype heralds in-flight checkout of space vehicles .....EDN p 22 Aug 16
Satellite designed for searching look at space 'weather' .....EDN p 27 Nov 8
Soviet's determined push toward moon, publications show .....EDN p 26 Aug 2
Study contracts spur military, space technology .....EDN p 34 Oct 11
Telstar goes into orbit ....EDN p 16 Aug 2
Tiros to fill gap as Nimbus design hits snags .....EDN p 4 Sept 27
Venus' riddles, solving one ..EDN p 40 Nov 8
Venus probe, six experiments to be performed by .....EDN p 22 Aug 2

Navigation and Guidance

Inertial system uses 5 basic blocks ....EDN p 28 Nov 22
Mosaic star trackers sought for guidance of spaceships .....EDN p 4 Aug 16
Two-band TRADEX radar is destined for project PRESS .....EDN p 24 Aug 30

Packaging Techniques, Production Processes and Equipment

Constant-temperature transistor enclosure ... .DIG p 110 Oct 11

INDEX OF ARTICLES

Convection cooling improved by array of pins or spines .....DIG p 98 July 19
Cryogenic laboratory .....ART p 114 Nov 8
Microelectronic circuits use versatile matrix .....PF p 134 Aug 16
Microelectronics finding uses in ground equipment .....EDN p 22 Oct 11
Microminiature wafers increase packaging densities .....PF p 142 Dec 6
Micromodule program, Army, entering production phase .....EDN p 6 Sept 13
Molecular circuits to debut in space aboard EGO craft .....EDN p 14 Aug 16
Sewing logic into systems ....DD p 128 Nov 8
Strong, quick setting adhesive speeds assembly of miniature parts .....DD p 100 July 5
Weldable hollow pin speeds fabrication of modules .....DD p 96 July 5

Radio Frequency Interference

How the system manager should approach the problem of RFI .....ART p 58 Aug 16
RFI, military specifications ..SR p 52 Sept 27
RFI, subversion of the air waves—where we stand .....SR p 36 Sept 27
RFI control .....SR p 37 Sept 27
RFI problems .....EDN p 8 July 19
RFI shields and gaskets .....SR p 62 Sept 27

Reliability

Redundancy and switching failures .....ART p 72 Sept 13
Reliability: The designer's dilemma .....SR p 62 Nov 8
Straight-line plotting of reliability functions .....ART p 44 Dec 6

Semiconductors, Solid-State Devices

AGC for transistorized receivers, designing—Part 1 .....ART p 64 Sept 13
AGC for transistorized receivers, designing—Part 2 .....ART p 76 Oct 11
Alpha-cutoff test set checks vhf transistors .....DD p 94 Aug 2
Bootstrap emitter-follower amplifier, how to design .....ART p 76 Sept 13
Calculation of noise in transistor mixers .....GA p 76 Aug 16
Choppers—electromechanical or transistor? .....ART p 56 Aug 16
Currector and Zener diode reduces ripple in power supply .....IfD p 55 Dec 6
Current-mode logic switching, techniques of .....ART p 54 Sept 13
Current mode systems, another look at .....ART p 48 Nov 22
Determining permissible pulse power .....ART p 106 Nov 8
Diode construction increases reliability .....PF p 188 Aug 2
Diode generates intense IR beam, sends TV signal .....EDN p 14 Aug 2
Diode I-V curve has double hump; decimal unit seen .....EDN p 39 Nov 22
Diode quads—a reliability trap? .....ART p 48 Aug 16
Dc-dc power converters, how to design—Part 1 .....ART p 38 Dec 6
Dc-dc power converters—Part 2 .....ART p 46 Dec 20
EL panels emit five colors ..EDN p 25 Nov 22
Electron tube yields CW light, easily modulated .....EDN p 16 Oct 25
Energy converters emerging from laboratories .....EDN p 4 Aug 30
Emitter followers increase astable MV period .....GA p 64 Dec 20
Field-effect transistors .....PF p 118 Oct 25
Four ways to pair field-effect and conventional transistors .....ART p 44 Aug 16
Frame-grid triode is H-F probe tube .....PF p 182 Aug 2
Gallium arsenide diode delivers infrared output .....PF p 152 Nov 22
Low-leakage transistors, measuring temperature stability of .....ART p 88 Oct 11
Low-noise frequency converter uses tunnel diode .....DIG p 106 Aug 2
Measuring admittance of plane-parallel diodes .....GA p 88 Sept 27
Photodiode noise .....GA p 84 July 19
Reducing spurious voltage in RF Hall-effect modulators .....DIG p 60 Aug 30
Semiconductor testing .....PF p 186 Aug 2
Shared loading allows lower fanout drivers .....ART p 62 Nov 22
SCR multivibrators .....ART p 44 Nov 22
Switching circuits, rapid design using new designer's data sheet ....ART p 46 July 19
Target simulator simplified by modular construction .....DD p 98 Aug 2
Transistor avalanche—a problem in circuit design .....ART p 48 Dec 6
Transistor converter, single, powers photoflash .....DD p 80 Nov 22
Transistor data chart, 10th ....SR p 33 July 5
Transistor noise, how to specify and measure .....ART p 50 July 19
Transistor output stages, three coupling networks for .....ART p 48 Oct 25
Transistorized differential amplifiers, designing—Part 1 .....ART p 72 Aug 2
Transistorized differential amplifiers—Part 2 .....ART p 52 Aug 16
Transistorized Schmitt triggers, practical design of .....ART p 36 Dec 20
Triodes, practical thin-film ..EDN p 4 Nov 8
Tunnel diode logic circuits ..DIG p 110 Oct 11
Tunnel diode used as low-pass amplifier .....GA p 87 July 19
Tunnel diodes used as frequency doublers .....GA p 104 Sept 13
Voltage suppression with PTC thermisters .....ART p 76 Aug 2

Lab setup shows SB-15a versatility. (1) FM display measures dynamic deviation. (2) and (3) are AM and SSB signals, respectively, with sine wave modulation.



MORE ULTRASONIC ANALYSES faster easier high accuracy

Cabinet Optional



PANORAMIC'S NEW, IMPROVED SB-15a spectrum analyzer 100 cps to 600 kc

Find, identify and analyze more types of ultrasonic signals with Panoramic's advanced Model SB-15a . . . economical, compact and completely self-contained.

• Noise, vibration, harmonic analysis • Filter & transmission line checks • Telemetry analysis • Communication System Monitoring • Frequency Response Plotting (with Model G-15a Companion Sweep Generator) provides rapid and accurate swept band tests for filters and other networks
- **Frequency Range:** 100 cps to 600 kc.
- **Sweepwidth:** Adjustable, calibrated from 1 kc to 200 kc.
- **Center Frequency:** Adjustable, calibrated from 0 to 500 kc.
- **Markers:** 10 kc intervals throughout band. Crystal controlled. Level reference also provided.
- **Resolution:** Automatic optimum resolution plus adjustable 1-F bandwidth from 100 cps to 4kc.
- **Sweep Rate:** adjustable 1 cps to 60 cps with line synchronization provision.
- **Amplitude Scales:** Linear, 40 db log (extendable to 60 db) and 2.5 db expanded.
- **Sensitivity:** 200 uv to 200 v full scale deflection.
- **Accuracy:** ±0.5 db from 200 cps to 525 kc.

Write now for specifications, other applications of Model SB-15a. Get on our regular mailing list for New Product Bulletins.

Panoramic® products

Manufactured by

SINGER METRICS DIVISION

THE SINGER MANUFACTURING COMPANY

915 Pembroke St. • Bridgeport 8, Conn.
FO 6-3201

*A trademark of the Singer Manufacturing Co.

CIRCLE 34 ON READER-SERVICE CARD